

LANXESS attending World Of Concrete, February 4 – 7, 2020, Las Vegas, Nevada/USA

Low odor cold cast PU systems for concrete forming applications

- **Low odor and designed to reduce inhalation exposure**
- **Easy processing and great dimensional stability**
- **Low viscosity and long open work times**

Cologne – Specialty chemicals company LANXESS will attend World Of Concrete in Las Vegas, Nevada this year. Bruno Motta, North American Sales Director, and Tyler Ryan, Global R&D Chemist, will be onsite to promote new urethane systems for concrete forming applications.

LANXESS Urethane Systems has developed a range of room temperature curable polyurethane systems that offer outstanding technical performance, exceptional ease of processability, and are low odor. All the casting and curing is undertaken at room temperature, thereby optimizing energy costs and the ecological footprint.

Improved industrial hygiene

Compared with conventional prepolymers, Adiprene Low Free (LF) prepolymers contain significantly lower levels (< 0.1%) of free isocyanate, which significantly reduces the worker's risk of exposure. As a result, these systems contain very little to no noticeable odor.

Sustainability: reduced energy consumption

“Here at LANXESS, we are making an important contribution to the sustainability of PU cast elastomers. Resource efficiency and environmental friendliness of our systems are improved, and the CO₂

LANXESS AG

Contact:
Michael Fahrig
Corporate Communications
Spokesperson
Trade & Technical Press
50569 Cologne
Germany

Phone +49 221 8885-5041
michael.fahrig@lanxess.com

Page 1 of 4

footprint in the manufacture of casting systems and components made from them is reduced. Such forward-looking concepts are a core element for us in improving sustainability and strengthening the competitiveness of our partners," explains Dr. Markus Eckert, head of the Urethane Systems business unit at LANXESS.

Adiprene LF prepolymers and Vibracure curatives are low viscosity at room temperature which means no heating is required to process the materials. Since these systems fully cure at room temperature, no ovens, high temperatures, or hot molds are necessary. This directly improves operations by reducing energy costs and worker safety as well as reduces the carbon footprint.

Room temperature processing and performance

Adiprene LF prepolymers are available in a wide variety of isocyanate and polyol compositions. Cured with formulated Vibracure curatives, these systems are designed for room temperature cast elastomer applications.

These cold cast systems are designed with part A and B as simple whole number mixing ratios. These systems are robust, moisture tolerant, and can be either hand-mixed or machine-mixed with low viscosity and long open work times at room temperature, enabling the casting of complex designs ideal for pattern matching applications.

LANXESS is a leading specialty chemicals company with sales of EUR 7.2 billion in 2018. The company currently has about 15,500 employees in 33 countries and is represented at 57 production sites worldwide. The core business of LANXESS is the development, manufacturing and marketing of chemical intermediates, additives, specialty chemicals and plastics. LANXESS is listed in the leading sustainability indices Dow Jones Sustainability Index (DJSI World and Europe) and FTSE4Good.

Cologne, February 3, 2020
mfg (2020-00011e)

LANXESS AG

Contact:
Michael Fahrig
Corporate Communications
Spokesperson
Trade & Technical Press
50569 Cologne
Germany

Phone +49 221 8885-5041
michael.fahrig@lanxess.com

Page 2 of 4

Forward-Looking Statements

This company release contains certain forward-looking statements, including assumptions, opinions, expectations and views of the company or cited from third party sources. Various known and unknown risks, uncertainties and other factors could cause the actual results, financial position, development or performance of LANXESS AG to differ materially from the estimations expressed or implied herein. LANXESS AG does not guarantee that the assumptions underlying such forward-looking statements are free from errors nor does it accept any responsibility for the future accuracy of the opinions expressed in this presentation or the actual occurrence of the forecast developments. No representation or warranty (expressed or implied) is made as to, and no reliance should be placed on, any information, estimates, targets and opinions, contained herein, and no liability whatsoever is accepted as to any errors, omissions or misstatements contained herein, and accordingly, no representative of LANXESS AG or any of its affiliated companies or any of such person's officers, directors or employees accept any liability whatsoever arising directly or indirectly from the use of this document.

Information for editors:

All LANXESS news releases and their accompanying photos can be found at <http://press.lanxess.com>. Recent photos of the Board of Management and other LANXESS image material are available at <http://photos.lanxess.com>.

You can find further information concerning LANXESS chemistry in our WebMagazine at <http://webmagazine.lanxess.com>.

Follow us on Twitter, Facebook, LinkedIn and YouTube:

<http://www.twitter.com/LANXESS>

<http://www.facebook.com/LANXESS>

<http://www.linkedin.com/company/lanxess>

<http://www.youtube.com/lanxess>

LANXESS AG

Contact:
Michael Fahrig
Corporate Communications
Spokesperson
Trade & Technical Press
50569 Cologne
Germany

Phone +49 221 8885-5041
michael.fahrig@lanxess.com

Page 3 of 4

Image



Samples of PU cast elastomers produced with Adiprene LF prepolymers and Vibracure curatives from LANXESS.

Photo: LANXESS AG

LANXESS AG

Contact:

Michael Fahrig

Corporate Communications

Spokesperson

Trade & Technical Press

50569 Cologne

Germany

Phone +49 221 8885-5041

michael.fahrig@lanxess.com

Page 4 of 4